

# VEHICLE CRASH EXTRICATION EQUIPMENT

**BRAND:** TNT, made in USA

**Warranty:** Lifetime

## - **STORM SERIES – BATTERY OPERATED**

Designed to be lighter, quieter in operation, faster acting and more powerful than any battery powered hydraulics available, the STORM Series represents the newest generation of battery powered rescue tools.

**CUTTER**



**SPREADER**



**COMBI-TOOL  
(Cutter and Spreader)**



## - HYDRAULIC RESCUE EQUIPMENT

### SET A – COMBI-TOOL (COMBINED CUTTER SPREADER)

TNT Rescue High Pressure Combination Hydraulic Rescue Tools operate at 10,500 psi and offer fantastic tool speed and power. TNT Rescue Combination Hydraulic Rescue Tools offer you the convenience of having a cutter and spreader in one single tool. All TNT Rescue Tools carry a 100% Lifetime Warranty.

Consists of:

#### 1. COMBI-TOOL



#### 2. POWER UNIT



#### 3. RAM CYLINDER



#### 4. EXTENSION HOSE 30FT -2PCS. WITH HYDRAULIC OIL



## **SET B – SEPERATE CUTTER SPREADER)**

TNT Rescue High Pressure Cutters operate at 10,500 psi and offer unsurpassed speed and power. TNT Rescue Cutters are available in models that can produce up to 320,000 lbs. of cutting force which means there is not much, if anything you can't cut.

TNT Rescue High Pressure Spreader operate at 10,500 psi and offer unsurpassed speed and power. TNT Rescue Spreader are available in models that can produce up to 101,000 lbs. of spread force .

TNT Rescue High-Pressure Hydraulic Rams operate at 10,500 psi and are available in lengths ranging from 20 inches up to the “Big Dog” 50 inch telescoping ram that produces a whopping 51,000 pounds of pushing force.

TNT Rescue High-Pressure Pumps operate at 10,500 psi and are available with your choice of gasoline motor or electric motor. Pump models are available from single tool operation up to 4 tool simultaneous tool operation. TNT Pumps carry the same 100% Lifetime Warranty

**Consists of:**

**1. CUTTER**



**2. SPREADER**



**3. RAM CYLINDER**



**4. HYDRAULIC OIL**



**5. EXTENSION HOSE 30FT -2PCS.**



**6. COMPACT UNIT**

