

# F-MODEL rubber boat

| Model               |              | Unit                       | F1-365AR    |      | F1-385AR    |      | F1-430AR    |       |
|---------------------|--------------|----------------------------|-------------|------|-------------|------|-------------|-------|
| Color               |              |                            | red & black |      | red & black |      | red & black |       |
| Length              |              | cm                         | 365         |      | 385         |      | 430         |       |
| Inside Length       |              | cm                         | 255         |      | 273         |      | 304         |       |
| Beam                |              | cm                         | 196         |      | 196         |      | 208         |       |
| Inside Beam         |              | cm                         | 94          |      | 94          |      | 100         |       |
| Tube Diameter       |              | cm                         | 51          |      | 51          |      | 54          |       |
| Tube Weight         | Total Weight | kg                         | 47.6        | 92.1 | 49.8        | 95.3 | 55.1        | 109.2 |
| Board Weight        |              | kg                         | 32.9        |      | 33.9        |      | 41.8        |       |
| Acc Weight          |              | kg                         | 11.6        |      | 11.6        |      | 12.3        |       |
| Load Capacity       |              | kg                         | 850         |      | 891         |      | 992         |       |
| Person Capacity     |              |                            | 6+1         |      | 7+1         |      | 8+1         |       |
| Maximum H.P.        |              | kg                         | 30          |      | 30          |      | 40          |       |
| Air Chambers        |              | ea                         | 4+1         |      | 4+1         |      | 4+1         |       |
| Type of Fabric      |              | 0.9mm PVC / Hypalon        |             |      |             |      |             |       |
| Optional Reinforced |              | Bottom / Front / Side tube |             |      |             |      |             |       |

# RIB MODEL combi boat

| Model               | Unit                | 350RIB       | 380RIB       | 420RIB       | 450RIB       | 530RIB       |
|---------------------|---------------------|--------------|--------------|--------------|--------------|--------------|
| Color               |                     | gray & black | gray & black | gray & black | gray & black | gray & black |
| Length              | cm                  | 350          | 380          | 420          | 450          | 530          |
| Inside Length       | cm                  | 253          | 283          | 310          | 340          | 405          |
| Beam                | cm                  | 178          | 217          | 217          | 217          | 250          |
| Inside Beam         | cm                  | 82           | 105          | 105          | 105          | 120          |
| Tube Diameter       | cm                  | 48           | 56           | 56           | 56           | 55           |
| Weight              | kg                  | 110          | 120          | 130          | 140          | 160          |
| Person Capacity     |                     | 4+1          | 4+1          | 4+1          | 5+1          | 6+1          |
| Maximum H.P.        | kg                  | 30           | 30           | 40           | 40           | 30           |
| Air Chambers        | ea                  | 3            | 4            | 4            | 4            | 4            |
| Type of Fabric      | 0.9mm PVC / Hypalon |              |              |              |              |              |
| Optional Reinforced | Side tube           |              |              |              |              |              |



**Authorized Philippine Distributor**

EPP Fire Safety and Rescue Products Co.



0998 557 1278 / 0917 118 2524  
02 8 810 9989 / 02 8 8440599



[www.eppfiresafetyrescue.com](http://www.eppfiresafetyrescue.com)



4/F APP Bldg. 2584  
Bonifacio Street Bangkal,  
Makati City, Metro Manila,  
Philippines





M A D E I N K O R E A

# woosung

rescue boats



**WOOSUNG BOAT**



# F-MODEL

rubber boat



**F-Models** rubber boats are high performance inflatable rescue boats designed

**for fast deployment and tough conditions.**

Crafted from **reinforced PVC or Hypalon fabric**, they offer exceptional durability, puncture resistance, and long-term reliability.




## F1 Model

The F1 features a full PVC construction with no extra rubber or patches on its surface, making it a lightweight option for basic rescue or transport needs.



## F2 Model

The F2 model features rubber patches along the entire bottom to protect against damage when dragged from shore during urgent rescues.



## F3 Model

The F3 rubber boat model includes rubber patches on both the entire bottom and the front section, offering enhanced protection.

## F4 Model

The F4 models includes rubber patches throughout the floor and front and sides, as the sides are frequently in contact with other surfaces.



## ALL MODELS

F1, F2, F3, F4

## 385AR

(6-7 pax)

## 430AR

(8-9 pax)

Total Length  
Internal Length  
Total Width  
Internal Width  
Tube Diameter

12.6 ft  
8.5 ft  
6.1 ft  
2.9 ft  
1.6 ft

13.7 ft  
9.6 ft  
6.6 ft  
3.15 ft  
1.7 ft



# RIB MODEL

combi boat



**Rigid Inflatable Boat (RIB)** built specifically **for rescue missions in challenging environments.** Whether navigating through rough coastal waters, flooded urban zones, or swift river current offering excellent buoyancy, impact resistance, and easy maneuverability.



## **Combi 420RIB** (4+1 pax)

|                 |          |
|-----------------|----------|
| Total Length    | 13.78 ft |
| Internal Length | 10.17 ft |
| Total Beam      | 7.12 ft  |
| Internal Beam   | 3.44 ft  |
| Tube Diameter   | 1.8 ft   |



## **Combi 450RIB** (5+1 pax)

|                 |          |
|-----------------|----------|
| Total Length    | 14.78 ft |
| Internal Length | 11.15 ft |
| Total Beam      | 7.12 ft  |
| Internal Beam   | 3.44 ft  |
| Tube Diameter   | 1.8 ft   |



## **Combi 530RIB** (6+1 pax)

|                 |          |
|-----------------|----------|
| Total Length    | 17.39 ft |
| Internal Length | 13.29 ft |
| Total Beam      | 7.87 ft  |
| Internal Beam   | 3.94 ft  |
| Tube Diameter   | 1.8 ft   |



# WATER RESCUE TOOLS

## - WATER ROPE



**Brand:** PMI, made in USA

**Size:** 10mm x 61m  
10mm x 200m

**Description:** The continuous stranded polypropylene core provides flotation to the wear – resistant braided nylon sheath.

This rope has a higher breaking strength than economy polypropylene water rescue rope, and is much easier to grip. Yellow with blue tracer thread.



**Brand:** Austral, made in Australia

**Size:** 11mm x 100m

**Description:**

Construction: Static Double Braided  
Material: High Tenacity UV  
Stabilized Polypropylene  
Cover & Core: 100% Polypropylene  
Breaking Strength: 17kN



**Brand:** Manila Cordage Terypro Rope, Philippine made

**Description:** Combination of synthetic fibers: Its polypropylene fibers provide Terypro good creep strength. Its polyester content gives it a great capacity to disperse heat.

## - LIFEVEST AND WHISTLE



**Brand:** NOA ResQ

**Description:** Designed to keep rescuers secure while they bring their subjects to safety. Equipped with additional utility pockets. Reinforced with heavy-duty straps and buckles. With Aquamarine whistle.



**Brand:** Storm, made in USA

**Description:** Twice as loud as any other mouth-blown whistle in the world. Specify Orange or Black



**Brand:** NOA Rapid

**Description:** Packed with non-cross linked, closed cell material for greater buoyancy. Reinforced with heavy-duty straps and buckles. With Aquamarine whistle.



**Brand:** FOX40 Classic

**Description:** No moving parts to freeze, jam or deteriorate. Chambers are designed to self-clear when submerged in water. Sound will be heard up to a mile away



**Ordinary Lifevest**

**Description:** Polyethylene, and Nylon oxford with reflector at front and back.



**Brand:** NOA

**Description:** Loud whistle. Equipped with neck strap. A must for rescue and outdoor activities.

## - PERSONAL FLOATATION DEVICE (PFD)



**Description:** Light weight rescue can featuring six conveniently located grips that are secure and comfortable to grasp and help to calm the panicky swimmer in trouble. Color Orange.



**Description:** Inspected and tested in compliance with solas 74 & International Standard  
Weight : 2.5 kg.

**Brand:** NOA - Rescue



**Description:** Single Person rescuer tube is floatation device which may be used to assist either a conscious of unconscious patient in the water.

**Brand:** Zebec, made in Korea



**Description:** Size of Rope 8mm x 30m (Floating rope type) Polypropylene. Mesh on top of bag for quicker drying, 1000LBS Max Load.

**Brand:** NOA, made in Philippines



**Description:** The poly-propylene life line floats on water highly visible to make grasping the line easier for the rescue. The line is also kept securely in the bag to prevent it from being tangled and for easy



## - SCUBA DIVING GEAR AND EQUIPMENT

### A. WETSUIT



**Brand:** Aqualung

**Description:** The entire wetsuit is 100% constructed from 4-way super stretch 3mm flex neoprene, that stretches to 235% of its original size compared to 125% for standard neoprene. Skin in neck seal provides comfortable stretch and seals out water. Heavy duty non-corrosive YKK Metal zipper.

### C. BOOTIES



**Brand:** Aquamundo

**Description:** The new 5MM High cut molded Booties. Color: Black/red

### B. WATER GLOVES



**Brand:** Aqualung

**Description:** Great Combination of Warmth and Dexterity. Suede-like Amara (Synthetic Leather) Palm and Fingers provides a high degree of protection, wear resistance and dexterity Adjustable Velcro wrist closure.

### D. FINS



**Brand:** Aquamundo

**Description:** A Very Durable and A High Quality Fin, Easy to kick and Comfortable to use in any scuba Activities. the NEW Aquamundo Seakad Fins.



## E. SNORKEL



**Brand:** Aquamundo, made in Taiwan

**Description:** Single purge Claro snorkel ideal for snorkeling and scuba diving.

## F. MASK WITH BOX



**Brand:** Aquamundo, made in Taiwan

**Description:** Split lenses are made tempered glass for maximum optical clarity. Silicone skirt seals comfortably on any face, while the Split Strap ensures a secure fit. Colors: Black Silicone: Black, Blue

## G. DIVE COMPUTER



**Brand:** Suunto Zoop Novo

**Description:** With your easy to understand key dive data available at a glance on the big, super-bright backlit display. This simple to use dive computer includes full decompression capabilities, five dive modes (Air, Nitrox, Gauge, Free and Off) and straight-forward.

### Features:

- Five modes: air, nitrox, gauge, free and off
- Full continuous decompression algorithm – Suunto RGBM
- Built-in dive planner
- Detailed graphical logs and dive data with your PC/Mac using
- Suunto DM5 software (no cable in the package – sold as an accessory)
- Innovative apnea timer for freediving, and a timer in air/nitrox modes.

## H. BCD JACKET



**Brand:** Aquatec, made in Taiwan

**Description:** The Sunny BCD from AQUATEC™ is an internal bladderless BCD that has a comfortable adjustable cummerbund waistband along with easy to adjust shoulder straps. The BC-25 Sunny is made from tough 1000 denier Cordura/PU bonded to the inside. The pockets are made from 1680 denier nylon. Both designs, the portable “Independent Back Pack” and “Soft Tooled Padding”, give the BCD excellent stability. The Covered Corrugated Hose, L/P Hose, Velcro Pockets, 2 O/P Valves, 1 Hose Retainer, and Stainless Steel Tank Cam Lock Buckle are all included.

## I. LEAD WEIGHTS



**Brand:** Aquamundo

**Description:** 2 LBS Lead weights (5PCS)

## J. CYLINDER TANK 80 CU.



**Brand:** Luxfer, made in USA

**Description:** The Luxfer Tank Aluminum is a durable, quality cylinder that is perfect for scuba diving. Aluminum is highly resistant to internal corrosion. Most Luxfer cylinders are painted with durable, premium-quality powder coatings.

## K. WEIGHT BELT



**Brand:** Aquamundo, made in Taiwan

**Description:** Weightbelt w/ stainless steel buckle black.



#### **L. FIRST STAGE REGULATOR**



**Brand:** Aquamundo, made in Italy

**Description:** QR3 1st stage yoke standard piston


#### **N. COMBO DEPTH/ PRESSURE GAUGE**



**Brand:** Aquamundo, made in Italy

**Description:** Combo depth / pressure gauge large size double reading BAR/ PSI.

#### **M. REGULATOR SECOND STAGE**



**Brand:** Aquamundo, made in Taiwan

**Description:** Tala series, regulator unbalance no adjustment w/ hose.

#### **O. OCTOPUS**



**Brand:** Aquamundo made in Taiwan

**Description:** Basic design w/ no adjustment, hard cover , 40 inches hose.

## - RESCUE INFLATABLE BOAT



**Brand:** Bangkapro

**Description:** Heat welded seams for better performance in hot and humid weather. All around rubber or rope grab lines. Soft grip rubber carrying handles. Extremely rigid, light weight hull for excellent performance and strong removable marine plywood seat benches. Heavy duty marine grade plywood transom for outboard motor.

Includes:

- \* 2 Aluminum oars
- \* Repair kit
- \* 1-3 Seat benches (Depending on boat size)
- \* Carrying Bag
- \* High-volume foot pump



**Brand:** Otter

**Description:** Brand new PVC materials, 8-10 persons capacity, with aluminum flooring and with the standards accessories.

Includes:

- \* foot pump
- \* repair kit
- \* oars and paddles
- \* carrying bag

## - RESCUE BOAT WITH TRAILER



**Brand:** Barracuda – made of Marine Grade Polyethylene

**Description:** Polymax's newest Shallow V-hull design that enhances adaptability for various applications, such as: Flood Rescue, Coast Patrol, Fishing or Leisure. Made from Marine Grade Polyethylene known for its strength and durability including its Non-Conductive properties against the risk of lightning strikes. Dimensions: 14ft.L X 5ft.6in. W

**Accessories:** 4 pcs. Paddles, Life Line, 4 pcs. Life Vest, 2 pcs. Removable Seats, Stainless Steel Handle Cleats with Life line included and three (3) Storage Compartments.

**Boat Trailer:** Wheels and leaf springs, manual winch, keel & bow roller, tongue ring jack hitch, jockey wheel, C – channel Steel Fabrication and Spray Painted (black or white).



**Brand:** Urban Pitbull, made of Fiberglass

### **Specifications:**

**Capacity:** 8 -10 persons

**Bench Seat:** Middle seat – hard wood

**Flooring:** Fiberglass non- skid, repairable

### **Dimensions:**

**Length:** 12 ft.

**Overall Width:** 5.2 ft

**Depth:** 0.55 cm.

**Body:** Fiberglass 3 ply

**Gross weight:** 130 kgs.

### **Accessories:**

2 pcs. paddles


2 pcs. Life jackets

With safety nylon rails





## - ALUMINUM RESCUE BOAT WITH TRAILER AND OBM



**Brand:** Kimple, with Trailer and 40 HP Yamaha OBM

**Model:** 500 Ranger F

### Boat Specifications:

|                     |       |
|---------------------|-------|
| Length:             | 5.0M  |
| Beam:               | 2.16M |
| Max Depth:          | 0.7M  |
| Transom Height:     | 0.51M |
| Weight (boat only): | 210Kg |
| Bottom Thickness:   | 2.0mm |
| Side Thickness:     | 2.0mm |
| Max Adults:         | 8     |

### Boat Features:

Bow eye and Bow Deck  
Bench Seat\*5  
Broadside Rails  
Fuel Tank Rack with Cover  
Motor Well  
Plastic Hatch Lid

**Trailer:** is made of Galvanized steel.

Maximum load capacity: 900kg.

### Engine:

**Brand:** Yamaha, made in Japan

### Description:

|                                 |                    |
|---------------------------------|--------------------|
| <b>Engine Type:</b>             | 2-Cylinder         |
| <b>Displacement:</b>            | 669cm <sup>3</sup> |
| <b>Bore x Stroke:</b>           | 78 x 70 mm         |
| <b>Prop Shaft Horsepower:</b>   | 40HP               |
| <b>Compression Ratio:</b>       | 6.25               |
| <b>Fuel/Induction System:</b>   | 1-Carb             |
| <b>Exhaust:</b>                 | Above Prop         |
| <b>Starting System:</b>         | Manual Choke       |
| <b>Lubrication:</b>             | Pre Mixing         |
| <b>Full Throttle RPM Range:</b> | 4500 ~ 5500 r/m    |
| <b>Shaft Length:</b>            | 20"                |
| <b>Ignition System:</b>         | CDI                |

## - ALUMINUM RESCUE BOAT WITH TRAILER AND OBM



**Brand:** Kimple, with Trailer and 50 HP Yamaha OBM

**Model:** 500 Ranger F

### Dimension:

|                     |                 |                      |              |
|---------------------|-----------------|----------------------|--------------|
| Length:             | 500 m           | Beam:                | 1.94 m       |
| Max. Depth:         | 0.95 m          | Transom Height:      | 0.38 m       |
| Weight (Boat only): | 210 kg.         | Bottom Thickness:    | 3.0 mm       |
| Side Thickness:     | 2.0 mm          | Max. Horse Power:    | 40-60 hp     |
| Main Motor Weight:  | 120-150 kg.     | Max. Adult Capacity: | 7-10 Persons |
| Buoyancy:           | Basic Flotation | 40' HQ Container:    | 4            |

### Standard Features:

- \* Bow eye
- \* Bench seat
- \* Bow Deck
- \* Bow Hatch Lid
- \* Carpeted wooden floor
- \* Bollard
- \* Fuel Tank rack
- \* Bow and Rear Rails
- \* Plastic Grab Handles
- \* Console

**Trailer:** is made of Galvanized steel. Max. Load capacity: 900kg.



## OUTBOARD MOTOR WITH ACCESSORIES



**Brand:** Yamaha, made in Japan

**Model:** F50HETL

**Description:** 50HP 4 – Stroke Electronic fuel Injection, Electric Start, Long Shaft 20”, Single Overhead Camshaft, Four cylinder in-line, Built-in power trim & Assy.

### Technical Specifications:

|                                 |                     |
|---------------------------------|---------------------|
| Engine Type:                    | 4-stroke            |
| Displacement:                   | 996 cm <sup>3</sup> |
| No. of cylinders/configuration: | 4/In-line, SOHC     |
| Bore x stroke:                  | 65.0 mm x 75.0 mm   |
| Prop shaft output at mid-range: | 36.8kW / 5,500 rpm  |
| Full throttle operating range:  | 5,000 - 6,000 rpm   |
| Lubrication system:             | Wet sump            |
| Fuel Induction System:          | EFI                 |
| Gear ratio:                     | 1.85 (24/13)        |
| Weight with propeller:          | F50HETL: 114.0 kg,  |
| Fuel tank capacity:             | separate, 25 liters |
| Oil capacity:                   | 1.9 liters          |

### Accessories:

- a. Control Cable 12 ft. (2 pcs.)



- b. Steering Cable 12 ft. (1 pc.)



- c. Steering Wheel (1 pc.)



- d. Steering Helm (1 pc.)



- e. Steering Bezel 20° (1pc.)





## - AMBULANCE RESCUE BOAT WITH TRAILER AND OBM

**Model:** 290 Ambulance Rescue Boat  
With 150HP Outboard Motor and Trailer



### Specifications:

|               |                         |
|---------------|-------------------------|
| Length:       | 29ft.                   |
| Breadth:      | 7.2 ft.                 |
| Draft:        | 1.1 ft.                 |
| Capacity:     | 10-15 persons (Maximum) |
| Construction: | Fiberglass              |

**Description:**

Molded fiberglass pilot house  
P/A system with blinkers  
Safety glass windshield  
Safety glass sliding side windows  
Fiberglass steering console

Fiberglass bench w/ (port & starboard side)  
Anchor locker windshield electric wiper  
(marine grade)  
SS Awning frame  
Aft collapsible canvass awning (Sunbrella)

**Boat Features:**

- |                                      |                            |                                   |
|--------------------------------------|----------------------------|-----------------------------------|
| - Navigation light                   | - 12V battery              | - Fuel tank (150L Cap.)           |
| - 3" diameter compass                | - Battery box              | - SS grab rail                    |
| - 16" diameter marine steering wheel | - Bilge pump               | - SS keel guard                   |
| - Fiberglass pilot seat              | - Manual steering system   | - 21 lbs. anchor with anchor line |
| - 12V DC electrical system           | - Marine engine controller | - SS cleats                       |
| - 12V DC switch panel                | - Instrumental panel       | - SS towing eye                   |
|                                      | - Battery box              | - SS mooring line                 |

**Other Accessories:**

- |                                           |                                     |                                         |
|-------------------------------------------|-------------------------------------|-----------------------------------------|
| - 15 pcs. Life vest                       | - 5 pcs. Search light               | - 5 pcs. Rescue Can                     |
| - 5 pcs. Ring buoy                        | - 1 Sphygmomanometer                | - 10lbs. Dry Chemical Fire Extinguisher |
| - 15 pcs. Eye Goggles                     | - 2 sets First Aid Kit (50 persons) | - 2 pcs. Handheld radio                 |
| - 1 pc. Car fan                           | - 1 pc. Aquamap 52dv GPS w/ antenna | - 1 pc. Megaphone w/ Siren              |
| - 2 sets complete diving suit & equipment |                                     | - 4 pcs. paddle                         |

**Includes:**

- |                  |                               |                      |
|------------------|-------------------------------|----------------------|
| - Wetsuit        | - Regulator                   | - Snorkel            |
| - BCD Jacket     | - Fins                        | - Octopus            |
| - Water gloves   | - First Stage                 | - 80 cu. Oxygen Tank |
| - Depth computer | - Mask                        |                      |
| - Hi-cut booties | - Combo depth/ pressure gauge |                      |

## OUTBOARD MOTOR WITH ACCESSORIES FOR AMBULANCE RESCUE BOAT



**Brand:** Yamaha, made in Japan

**Description:** Yamaha Outboard Motor, 150 HP, Fuel Injection, Four stroke, Electric Start, Double Overhead Camshaft, built in power trim & tilt assy., extra long shaft 25 in., Brand new complete with the following:

- Multifunctional digital tachometer ( rpm, trim angle)
- Multifunctional digital Speedometer (speed, time, fuel, battery, voltage)
- Dual panel switch
- Remote control box with wiring harness assy, top mount
- Aluminum propeller
- Battery cable
- Owner's manual

### **Steering Kit:**

Sea star hydraulic steering  
Steering wheel  
Rigging tube kit

### **Engine Accessories:**

Control cable (2)  
Fuel filter water separator (2)

### **TRAILER**

- Double Axle Steel Trailer with Keel rollers and manual winch.



## - OUTBOARD MOTOR



**Brand:** Mercury, made in USA

**Description:** From 40hp to 90hp, Mercury's mid-range Two Strokes deliver starting reliability, not to mention gutsy performance. The secret to our mid-range is our renowned reliability thanks to its cool running. With high volume, low pressure, floppy-vane water impellers keeping operating conditions down. Other enhancements include single point, variable-ratio oil injection on electric start motors that automatically mix correct oil/fuel combinations.

Ranging from the 2.5 to 30 HP, these Mercury Portables are well known for their dependable and reliable Two Stroke power.



**Brand:** Yamaha, made in Japan

**Description:** 2-stroke, manual start. Lightweight and compact w/ excellent acceleration performance. The two stroke outboards are lightweight and compact yet deliver high power output. The engine structure is relatively simple and maintenance is exceedingly easy. Although we have full lineup of four strokes, we also offer an extensive two stroke lineup to meet diverse global needs